

2-15-06

Applicants: Wieland *et al.*
Serial No.: 09/853,902
Filed: May 14, 2001
Amendment and Response to Final Office Action (February 15, 2006)
Page 2 of 6

AMENDMENT

IN THE CLAIMS:

Please amend the claims set to read as follows:

Claim 1 (currently amended): A process for autothermal catalytic steam reforming of hydrocarbons comprising preheating a reactant mixture of hydrocarbons, oxygen and water or water vapor to a preheating temperature, passing the preheated reactant mixture over a single catalyst adiabatically, the catalyst having a coating of a catalyst material on a carrier structure, the catalyst material containing ~~at least one platinum-group metal~~ rhodium in a concentration of 0.1 to 2 wt. %, with respect to its total weight, on an oxidic support material selected from the group consisting of aluminum oxide, silicon dioxide, titanium oxide and mixed oxides thereof and zeolites.

Claim 2 (original): The process according to Claim 1, wherein said catalyst material further contains at least one oxide selected from the group consisting of boron oxide, bismuth oxide, gallium oxide, oxides of the alkali metals, oxides of the alkaline earth metals, oxides of the B group elements and oxides of the rare earth metals in a concentration of up to 40 wt.%, with respect to the total weight of catalyst material.

Claim 3: cancel

Claim 4 (currently amended): The process according to Claim 3 1, wherein the catalyst material also contains platinum with a ratio by weight of rhodium to platinum of between 20:1 and 2:1.

Claim 5 (currently amended): The process according to Claim 3 1, wherein said active aluminum oxide is the support material for rhodium and optionally platinum.

Okay to
enter
with

Applicants: Wieland *et al.*
Serial No.: 09/853,902
Filed: May 14, 2001
Amendment and Response to Final Office Action (February 15, 2006)
Page 3 of 6

Claim 6 (original): The process according to Claim 4, wherein said active aluminum oxide is the support material for rhodium and optionally platinum.

Claim 7 (original): The process according to Claim 5, wherein the catalyst material also contains cerium oxide.

Claim 8 (original): The process according to Claim 6, wherein the catalyst material also contains cerium oxide.

Claim 9 (original): The process according to Claim 7, wherein a monolithic honeycomb structure made from ceramic or metal, open-cell ceramic or metal foam structures, metal sheeting or irregularly shaped components is the carrier structures for the catalytic coating.

Claim 10 (original): The process according to Claim 6, wherein a monolithic honeycomb structure made from ceramic or metal, open-cell ceramic or metal foam structures, metal sheeting or irregularly shaped components is the carrier structures for the catalytic coating.

Claim 11 (previously presented): The process according to Claim 9, wherein the reactant mixture contains aliphatic or aromatic hydrocarbons or hydrocarbon mixtures.

Claim 12 (previously presented): The process according to Claim 8, wherein the reactant mixture contains aliphatic or aromatic hydrocarbons or hydrocarbon mixtures.

Claim 13 (original): The process according to Claim 11, wherein the air index λ of the reactant mixture and its preheating temperature are chosen so that a temperature between 600 and 900°C is set at the outlet from the catalyst.

Applicants: Wieland *et al.*
Serial No.: 09/853,902
Filed: May 14, 2001
Amendment and Response to Final Office Action (February 15, 2006)
Page 4 of 6

Claim 14 (original): The process according to Claim 12, wherein the air index λ of the reactant mixture and its preheating temperature are chosen so that a temperature between 600 and 900⁰C is set at the outlet from the catalyst.

Claim 15 (original): The process according to Claim 13, wherein a S/C ratio between 0.7 and 4 is set in the reactant mixture.

Claim 16 (original): The process according to Claim 14, wherein a S/C ratio between 0.7 and 4 is set in the reactant mixture.